

AIR TOOLS

Air Saw SP-1730

AB00040



Cutting capacity (Steel) : 3mm (0.12")
 Stroke length : 10mm (0.39")
 Stroke per min. : 10,000s.p.m
 Air consumption : 2.55 l/min (6cfm)
 Vibration level : 6.9m/s²

Air Saw SP-1720

AB00529



Cutting capacity (Steel) : 3mm (0.12")
 Stroke length : 10mm (0.39")
 Stroke per min. : 5,000s.p.m
 Air consumption : 2.55 l/min (6cfm)
 Vibration level : 2.6m/s²

Air Shear SP-1701S

AB00533



Free speed : 2,200r.p.m
 Avg. Air Consumption : 170 l/min (6cfm)
 Cutting capacity (Steel) : 16mm (0.63")
 Cutting capacity (Aluminium) : 14mm (0.56")
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

1/4" Screw Driver (Straight) External Adjustable Type SP-1800A

AB00544



Bolt capacity : 5mm (13/64")
 Free speed : 1,300rpm
 Max. Torque : 8Nm (5.9ft-lbs)
 Length : 273mm (10-3/4")
 Weight : 1.13kg (2.49lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

1/4" Adjustable Screw Driver SP-1810A

AB00545



Hex shank size : 6.35mm (1/4")
 Bolt capacity : 4mm (1/4")
 Free speed : 1,500rpm
 Max. Torque : 5-16Nm
 Length : 210mm (8-1/4")
 Weight : 1.4kg (0.65lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

1/4" Adjustable Screw Driver SP-1820A

AB00907



Hex shank size : 6.35mm (1/4")
 Bolt capacity : 6mm (1/4")
 Free speed : 800rpm
 Max. Torque : 5-16Nm (45-115in-lbs)
 Length : 216mm (8 1/2")
 Weight : 1.14kg (2-1/2 lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

Impact Driver SP-1826H

AB00546



Bolt capacity : 3.5mm (1/8" - 13/64")
 Free speed : 1,800rpm
 Max. Torque : 2.5-9Nm (1.84-6.64ft-lbs)
 Length : 230mm (9")
 Weight : 1.3kg (2.86lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

Impact Driver SP-8102B

AB00547



Hex shank size : 6.35mm (1/4")
 Bolt capacity : 5mm (5/32")
 Free speed : 10,000rpm
 Max. Torque : 23-69kgs-cm (20-60in-lbs)
 Length : 140mm (5-1/2")
 Weight : 0.88kg (1.9lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

3/8" Reversible Angle Drill SP-1510AH

AB00021



Drilling capacity : 10mm (3/8")
 Free speed : 1,300r.p.m
 Length : 180mm (7")
 Weight : 0.9kg (2lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

3/8" Air Drill SP-1511

AB00527



Drilling capacity : 10mm (3/8")
 Free speed : 1,800r.p.m
 Length : 180mm (7")
 Weight : 1.1kg (2.4lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

3/8" Air Reversible Drill SP-1525

AB00539



Drilling capacity : 10mm (3/8")
 Free speed : 1,800r.p.m
 Length : 180mm (7")
 Weight : 0.9kg (2lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

1/2" Air Drill SP-1540

AB00537



Drilling capacity : 10mm (3/8")
 Free speed : 2000r.p.m
 Length : 180mm (7")
 Weight : 0.9kg (2lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

1/2" Air Reversible Drill SP-1527

AB00022



Drilling capacity : 13mm (1/2")
 Free speed : 800r.p.m
 Length : 180mm (7")
 Weight : 0.9kg (2lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

1/2" Air Drill SP-1530

AB00910



Drilling capacity : 13mm (1/2")
 Free speed : 800r.p.m
 Length : 180mm (7")
 Weight : 0.9kg (2lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

8mm Air Spot Drill SP-6650

AB00915



Drilling capacity : 8mm
 Free speed : 1,800r.p.m
 Length : 228mm (9")
 Weight : 1.4kg (3.1lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

Allinton Engineering & Trading Pte Ltd

Head Office: Block 803, King George's Avenue #01-234 Singapore 200803. Tel: 6296 0679 (10 lines) 6292 7728 Fax: 6297 0024

Branch Office: 21 Tuas Basin Link Singapore 638782 Tel: 6265 1888 (10 lines) Fax: 6265 5623

Web-site: <http://www.allinton.com.sg> E-mail: allinton@singnet.com.sg

SHINTO[®]

AIR TOOLS

8mm Air Spot Drill SP-6651

AB00916



Drilling capacity : 8mm
Free speed : 1,800r.p.m
Length : 235mm (9-2/7")
Weight : 1.9kg (4.2lbs)
Air Inlet (PT) : 1/4"
Air Hose (I.D.) : 3/8"

3/8" Pistol Grip Impact Wrench (Pin Clutch) SP-1135B

AB00025



SQ Drive : 9.5mm (3/8")
Bolt capacity : 13mm (1/2")
Free speed : 9,000rpm
Max. Torque : 216Nm (160 ft-lbs)
Length : 163mm (6-3/8")
Weight : 1.6kg (3-1/2 lbs)
Air Inlet (PT) : 1/4"
Air Hose (I.D.) : 3/8"

1/2" Pro Impact Wrench (Twin Hammer) SP-1140X

AB00026



SQ Drive : 12.7mm (1/2")
Bolt capacity : 16mm (5/8")
Free speed : 7,500rpm
Max. Torque : 628Nm (500ft-lbs)
Length : 190mm (7 1/2")
Weight : 2.4kg (5.5lbs)
Air Inlet (PT) : 1/4"
Air Hose (I.D.) : 3/8"

1/2" Heavy Duty Impact Wrench (Pin Clutch) SP-1145A

AB00027



SQ Drive : 12.7mm (1/2")
Bolt capacity : 18mm (3/4")
Free speed : 7,500rpm
Max. Torque : 610Nm (450ft-lbs)
Length : 198mm (7-7/8")
Weight : 2.6kg (5.7lbs)
Air Inlet (PT) : 1/4"
Air Hose (I.D.) : 3/8"

1/2" Heavy Duty Impact Wrench (Twin Hammer) SP-7140 Composite Housing

AB00540



SQ Drive : 12.7mm (1/2")
Bolt capacity : 19mm (3/4")
Free speed : 8,000rpm
Max. Torque : 813Nm (600ft-lbs)
Length : 193mm (7-3/5")
Weight : 2.25kg (4.95lbs)
Air Inlet (PT) : 1/4"
Air Hose (I.D.) : 3/8"

1/2" Pro. Impact Wrench (Twin Hammer) SP-1148F

AB00028



SQ Drive : 12.7mm (1/2")
Bolt capacity : 19mm (3/4")
Free speed : 6,500rpm
Max. Torque : 813Nm (600ft-lbs)
Length : 182mm (7-3/8")
Weight : 2.8kg (6.16lbs)
Air Inlet (PT) : 1/4"
Air Hose (I.D.) : 3/8"

3/4" Heavy Duty Impact Wrench (Twin Hammer) SP-1156TR

AB00029



SQ Drive : 19mm (3/4")
Bolt capacity : 30mm (1-3/16")
Free speed : 5,500rpm
Max. Torque : 1,491Nm (1,100ft-lbs)
Length : 220mm (8-43/64")
Weight : 5.6kg (12.7lbs)
Air Inlet (PT) : 3/8"
Air Hose (I.D.) : 1/2"

1" Heavy Duty Impact Wrench (Pin Clutch) w/2" Anvil SP-1191

AB00541



SQ Drive : 25.4mm (1")
Bolt capacity : 38mm (1-1/2")
Free speed : 3,500rpm
Max. Torque : 1,763Nm (1,300ft-lbs)
Length : 252mm (9-7/8")
Weight : 5kg (11lbs)
Air Inlet (PT) : 1/4"
Air Hose (I.D.) : 1/2"

1" Heavy Duty Impact Wrench (Twin Hammer) w/1" Anvil SP-1184P

AB00542



SQ Drive : 25.4mm (1")
Bolt capacity : 36mm (1-27/64")
Free speed : 4,000rpm
Max. Torque : 2,033Nm (1,500ft-lbs)
Length : 315mm (12-13/32")
Weight : 9.8kg (21.7lbs)
Air Inlet (PT) : 1/2"
Air Hose (I.D.) : 3/4"

1" Heavy Duty Impact Wrench (Twin Hammer) w/8" Anvil SP-1183E-8

AB00030



SQ Drive : 25.4mm (1")
Bolt capacity : 45mm (1-3/4")
Free speed : 4,200rpm
Max. Torque : 2,439Nm (1,800ft-lbs)
Length : 536mm (21-1/8")
Weight : 10.6kg (23.4lbs)
Air Inlet (PT) : 3/8"
Air Hose (I.D.) : 1/2"

1" Heavy Duty Impact Wrench (Pin-Less) w/6" Anvil SP-1186-8

AB00031



SQ Drive : 25.4mm (1")
Bolt capacity : 38mm (1-1/2")
Free speed : 3,500rpm
Max. Torque : 2,170Nm (1,600ft-lbs)
Length : 533mm (20-63/64")
Weight : 12.2kg (27.5lbs)
Air Inlet (PT) : 1/2"
Air Hose (I.D.) : 1/2"

1" Impact Wrench (Rocking Dog) w/6" Anvil SP-1190-6 w/2" Anvil SP-1190-2

SP-1190-6 AB00033
SP-1190-2 AB00032



SQ Drive : 25.4mm (1")
Bolt capacity : 45mm (1-3/4")
Free speed : 3,400rpm
Max. Torque : 1,979Nm (1,460ft-lbs)
Length : 385mm (15-4/25")
Weight : 12.7kg (27.9lbs)
Air Inlet (PT) : 1/2"
Air Hose (I.D.) : 1/2"

1" Heavy Duty Impact Wrench (Pin-Less) w/8" Anvil SP-5000E

AB00034



SQ Drive : 25.4mm (1")
Bolt capacity : 50mm (2")
Free speed : 3,000rpm
Max. Torque : 3,660Nm (2,700ft-lbs)
Length : 630mm (24-4/5")
Weight : 16kg (35.2lbs)
Air Inlet (PT) : 1/2"
Air Hose (I.D.) : 1/2"

1-1/2" Heavy Duty Impact Wrench (Twin Hammer) w/1" Anvil SP-6500

AB00639



SQ Drive : 38.1mm (1-1/2")
Bolt capacity : 50mm (2")
Free speed : 3,000rpm
Max. Torque : 4,065Nm (3,000ft-lbs)
Length : 450mm (17-3/4")
Weight : 19.7kg (43.3lbs)
Air Inlet (PT) : 1/2"
Air Hose (I.D.) : 3/4"

3/8" Air Ratchet Wrench SP-1762

AB00041



SQ Drive : 9.5mm (3/8")
Bolt capacity : 7mm (5/16")
Free speed : 230rpm
Max. Torque : 41Nm (30ft-lbs)
Length : 165mm (6-1/2")
Weight : 0.5kg (1.1lbs)
Air Inlet (PT) : 1/4"
Air Hose (I.D.) : 1/4"

Allinton Engineering & Trading Pte Ltd

Head Office: Block 803, King George's Avenue #01-234 Singapore 200803. Tel: 6296 0679 (10 lines) 6292 7728 Fax: 6297 0024

Branch Office: 21 Tuas Basin Link Singapore 638782 Tel: 6265 1888 (10 lines) Fax: 6265 5623

Web-site: <http://www.allinton.com.sg> E-mail: allinton@singnet.com.sg

SHINTO[®]

AIR TOOLS

1/2" Ratchet Wrench SP-1133-2



AB00042

SQ Drive : 12.7mm (1/2")
 Bolt capacity : 12.7mm (1/2")
 Free speed : 170rpm
 Max. Torque : 68Nm (50ft-lbs)
 Length : 227mm (10-1/2")
 Weight : 1.2kg (2.6lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

1/8" Micro Air Grinder SP-8240



AB00637

Collect size : 3mm (1/8")
 Free speed : 56,000rpm
 Length : 132mm (5-1/4")
 Weight : 0.2kg (0.5lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

1/8" Micro Air Grinder SP-8248



AB00638

Collect size : 3mm or 6mm (1/8" or 1/4")
 Free speed : 35,000rpm
 Length : 175mm (6.9")
 Weight : 0.35kg (0.77lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

1/4" Die Grinder SP-1220



AB00023

Collect size : 6mm (1/4")
 Free speed : 22,000rpm
 Length : 160mm (6-1/4")
 Weight : 0.9kg (2lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

1/4" Mini Die Grinder SP-1200



AB00538

Collect size : 6mm (1/4")
 Free speed : 25,000rpm
 Length : 120mm (4 3/4")
 Weight : 0.3kg (0.6lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

1/4" Extended Die Grinder SP-9500L



AB00902

Collect size : 6mm (1/4")
 Free speed : 25,000rpm
 Length : 260mm (10-1/4")
 Weight : 0.64kg (1.41lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

3" Straight Grinder SP-7500 Roll Type



AB00903

Wheel size : 75 x 9.5 x 13 (mm)
 Wire brush : 75 x 12.7 x 13 (mm)
 Free speed : 12,000rpm
 Length : 381mm (15")
 Weight : 1.87kg (5lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

1/4" Angle Die Grinder SP-1200AH



AB00024

Capacity : 6mm (1/4")
 Free speed : 30,000rpm
 Length : 146mm (5-3/4")
 Weight : 0.49kg (1.08lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

2" Mini Angle Grinder SP-8845



AB00641

Capacity : 51mm (2")
 Free speed : 15,000rpm
 Length : 200mm (7.8")
 Weight : 0.75kg (1.6lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

3" Angle Grinder SP-8844



AB00640

Sanding pad : 76.2mm (3")
 Free speed : 15,000rpm
 Length : 160mm (6.3")
 Weight : 0.7kg (1.5lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

4" 105° Angle Grinder SP-8843 Lever Type



AB00881

Disc capacity : 100mm (4")
 Free speed : 9,000rpm
 Wire brush : 76mm (3")
 Length : 280mm (11")
 Weight : 0.7kg (1.38lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

4" Angle Grinder SP-1254 Lever Type



Rotary Type
 SP-1254G
 AB 00528



Disc capacity : 100mm (4")
 Free speed : 11,000rpm
 Length : 230mm (9")
 Weight : 1.8kg (4lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

Angle Grinder SP-1255 4 1/2" SP-1256 5" Lever & Roll Type



4-1/2" AB00036
 5" AB00037

Disc capacity : 115mm (4 1/2")
 Free speed : 11,000rpm
 Length : 230mm (9")
 Weight : 1.8kg (4lbs)
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

7" Angle Grinder SP-1260L Lever Type



AB00038

Disc capacity : 180mm (7")
 Free speed : 7,600rpm
 Length : 254mm (10")
 Weight : 3.1kg (6.8lbs)
 Air Inlet (PT) : 3/8"
 Air Hose (I.D.) : 1/2"

Air Tire Buffer SP-1523D



AB00551

Free speed : 2,500r.p.m
 Avg. Air Consumption : 90 l/min (4cfm)
 Weight : 0.95kg (2.1lbs)
 Length : 210mm (8.27")
 Air Inlet (PT) : 1/4"
 Air Hose (I.D.) : 3/8"

SHINTO[®]

Allinton Engineering & Trading Pte Ltd

Head Office: Block 803, King George's Avenue #01-234 Singapore 200803. Tel: 6296 0679 (10 lines) 6292 7728 Fax: 6297 0024

Branch Office: 21 Tuas Basin Link Singapore 638782 Tel: 6265 1888 (10 lines) Fax: 6265 5623

Web-site: <http://www.allinton.com.sg> E-mail: allinton@singnet.com.sg