

HAND TOOLS

Pipe Wrenches

Aluminium Handle Straight Pipe Wrench



AH31090

Code No.	Model No.	Description	Size		Pipe Capacity		Weight		Std. Pack
			in.	mm	in.	mm	lb.	kg	
AH31090	810	Aluminium Straight Pipe Wrench	10	250	1 1/2	40	1	0,4	6
AH47057	812	Aluminium Straight Pipe Wrench	12	300	2	50	2 1/2	1,1	6
AH31095	814	Aluminium Straight Pipe Wrench	14	350	2	50	2 1/2	1,1	6
AH31100	818	Aluminium Straight Pipe Wrench	18	450	2 1/2	65	3 3/4	1,7	6
AH31105	824	Aluminium Straight Pipe Wrench	24	600	3	80	6	2,7	1
AH31110	836	Aluminium Straight Pipe Wrench	36	900	5	125	11	5,0	1
AH31115	848	Aluminium Straight Pipe Wrench	48	1200	6	150	18 1/2	8,4	1

Code No.	Model No.	Description	Size		Pipe Capacity		Weight		Std. Pack
			in.	mm	in.	mm	lb.	kg	
AH41352*	810CP	Aluminium Straight Pipe Wrench	10	250	1 1/2	40	1	0,4	6
AH41357	814CP	Aluminium Straight Pipe Wrench	14	350	2	50	2 1/2	1,1	6
AH41362	818CP	Aluminium Straight Pipe Wrench	18	450	2 1/2	65	3 3/4	1,7	6

*With special jaws for coated pipe

Aluminium Handle Offset Pipe Wrench



AH31120

Code No.	Model No.	Description	Size		Pipe Capacity		Weight		Std. Pack
			in.	mm	in.	mm	lb.	kg	
AH31120	14	Aluminium Offset Pipe Wrench	14	350	2	50	2	0,9	6
AH31125	18	Aluminium Offset Pipe Wrench	18	450	2 1/2	65	3 1/2	1,6	6
AH31130	24	Aluminium Offset Pipe Wrench	24	600	3	80	6	2,7	6

Heavy-Duty Straight Pipe Wrench



AH31000

Code No.	Model No.	Description	Size		Pipe Capacity		Weight		Std. Pack
			in.	mm	in.	mm	lb.	kg	
AH31000	6	Straight Pipe Wrench	6	150	3/4	20	1/2	0,2	6
AH31005	8	Straight Pipe Wrench	8	200	1	25	3/4	0,3	6
AH31010	10	Straight Pipe Wrench	10	250	1 1/2	40	1 3/4	0,8	6
AH31015	12	Straight Pipe Wrench	12	300	2	50	2 3/4	1,2	6
AH31020	14	Straight Pipe Wrench	14	350	2	50	3 1/2	1,6	6
AH31025	18	Straight Pipe Wrench	18	450	2 1/2	65	5 3/4	2,6	6
AH31030	24	Straight Pipe Wrench	24	600	3	80	9 3/4	4,4	6
AH31035	36	Straight Pipe Wrench	36	900	5	125	19	8,7	1
AH31040	48	Straight Pipe Wrench	48	1200	6	150	34 1/4	15,6	1
AH31045	60	Straight Pipe Wrench	60	1500	8	200	51 1/4	23,3	1

Heavy-Duty Offset Pipe Wrench



AH89435

Code No.	Model No.	Description	Size		Pipe Capacity		Weight		Std. Pack
			in.	mm	in.	mm	lb.	kg	
AH89435	14	Heavy-Duty Offset Pipe Wrench	14	350	2	50	2 1/4	1,0	6
AH89440	18	Heavy-Duty Offset Pipe Wrench	18	450	2 1/2	65	5 3/4	2,6	6
AH89445	24	Heavy-Duty Offset Pipe Wrench	24	600	3	80	9 3/4	4,4	1

Strap Wrench




AH31335

*Strap designed for use with plastic pipe.

Code No.	Model No.	Handle Length		Strap Length		Strap Width		Pipe Capacity		Tube Capacity O.D.		Weight		Std. Pack
		in.	mm	in.	mm	in.	mm	in.	mm	in.	mm	lb.	kg	
AH31335	1	11 3/4	300	17	425	1/2	12	2	50	3 1/2	90	1 1/4	0,5	1
AH31340	2	11 3/4	300	17	425	1 1/8	30	2	50	3 1/2	90	1 3/4	0,8	1
AH31345	2	11 3/4	300	30	760	1 1/8	30	2	50	5 1/2	135	1 3/4	0,8	1
AH31350	2*	11 3/4	300	24	600	1 1/8	30	2	50	5 1/2	135	1 3/4	0,8	1
AH31355	2P*	11 3/4	300	17	425	1 1/16	27	2	50	3 1/2	90	1 3/4	0,8	1
AH31360	5	18	450	29 1/4	750	1 3/4	45	5	125	7	175	2	0,9	1
AH31365	5	18	450	48	1200	1 3/4	45	5	125	12	300	2	0,9	1
AH31370	5P*	18	450	29 1/4	750	1 3/4	45	5	125	5 1/2	135	2 1/8	1,0	1

Chain Wrench

Light Duty



AH31310

Code No.	Model No.	Description	Rated Pipe		Actual O.D. Capacity		Chain Length		Weight		Std. Pack
			in.	mm	in.	mm	in.	mm	lb.	kg	
AH31310	C-12	Light-Duty Chain Wrench	2	50	4	100	15 3/4	390	1 3/4	0,8	1
AH31315	C-14	Light-Duty Chain Wrench	2	50	5	125	18 1/2	460	2 3/4	1,2	1
AH31320	C-18	Heavy-Duty Chain Wrench	2 1/2	60	5	125	20 1/4	500	6	2,7	1
AH31325	C-24	Heavy-Duty Chain Wrench	3	75	5	125	20 1/4	500	8 1/4	3,7	1
AH31330	C-36	Heavy-Duty Chain Wrench	4 1/2	110	7 1/2	185	29	725	15 3/4	7,1	1

Allinton Engineering & Trading Pte Ltd

Head Office: Block 803, King George's Avenue #01-234 Singapore 200803. Tel: 6296 0679 (10 lines) 6292 7728 Fax: 6297 0024

Branch Office: 21 Tuas Basin Link Singapore 638782 Tel: 6265 1888 (10 lines) Fax: 6265 5623

Web-site: <http://www.allinton.com.sg> E-mail: allinton@singnet.com.sg

RIDGID

HAND TOOLS

Chain Wrench


Heavy Duty

AH02040



Code No.	Model No.	Pipe Capacity		Length		Max O.D.		Tensile strength	Weight	
		in.	mm	in.	mm	in.	mm		lbs	lb.
AH02040	WA14	1/8-2	10-60	14	362	4.6	117	6500	3.4	1.5
AH02050	WA18A**	1/4-2 1/2	14-75	18	445	5	127	12100	6.0	2.7
AH02060	WA24A**	1/4-3	14-90	24	610	5.8	147	12100	9.0	4.1
AH02070	WA36	1/2-4 1/2	21-127	33	832	7.1	180	17750	19.0	8.6
AH02080	WA48*	1-6	33-168	44	1118	8.5	216	24500	33.0	15.0
AH02090	WA60*	1 1/2-8	48-225	46	1175	11	279	27000	51.0	23.2
AH02092	WA72*	2 1/2-12	73-324	46	1175	13	330	35000	82.0	37.3
AH02094	WA84*	2 1/2-18	73-457	46	1175	18	457	35000	92.0	41.8

Chain Tong



AH92660

Code No.	Model No.	Description	Total Length		Pipe Capacity		Chain Length		Chain Breaking Strain		Weight		Std. Pack
			in.	mm	in.	mm	in.	mm	lb.	kg	lb.	kg	
AH92660	3215	Single-End	87	2209	4-18	114-457	74 1/2	1892	56000	25401	139	62	1
AH92665	3229	Double-End	27	686	1/4-2 1/2	13-73	17 1/2	445	13800	6260	9	5	1
AH92670	3231	Double-End	37	939	3/4-4	26-114	22 1/2	572	17600	7983	17	8	1
AH92675	3233	Double-End	44	1117	1-6	33-168	32	813	20100	9117	24	11	1
AH92680	3235	Double-End	50	1270	1 1/2-8	48-219	40 1/2	1029	22000	9979	32	15	1
AH92685	3237	Double-End	64	1625	2-12	60-323	55 1/2	1410	31000	14061	56	25	1

Adjustable Wrench

AH86902

Adjustable Wrenches



AH16503

Plumber's Wide-Mouth Adjustable Wrenches

Code No.	Model No.	Description	Size		Pipe Capacity		Weight		Std. Pack
			in.	mm	in.	mm	lb.	kg	
AH86902	756	6" Adjustable	6	150	3/4	20	1/4	0.1	1
AH86907	758	8" Adjustable	8	200	7/8	25	1/2	0.2	1
AH86912	760	10" Adjustable	10	250	1 1/8	30	3/4	0.3	1
AH86917	762	12" Adjustable	12	300	1 5/16	35	1 1/2	0.6	1
AH86922	765	15" Adjustable	15	375	1 1/2	40	3	1.3	1
AH86927	768	18" Adjustable	18	450	2 1/8	50	5 1/8	2.3	1
AH86932	774	24" Adjustable	24	600	2 7/16	60	9 1/4	4.2	1
AH16503		6" Plumber's Wide-Mouth Adjustable	6	204	7/8	25	3/4	0.4	2
AH16508		8" Plumber's Wide-Mouth Adjustable	8	255	1 1/8	33	1	0.5	2
AH16513		10" Plumber's Wide-Mouth Adjustable	10	305	1 5/16	35	1 1/2	0.7	2

Cutters

Hinged Pipe Cutter

Designed for rapid cutting of 4" through 12" steel pipe, heavy-wall steel pipe, and cast-iron pipe. The nine models can operate where minimal cutter rotation is necessary due to lack of space.



AH83080

Code No.	Model No.	Hinged Pipe Cutter Description	Pipe Capacity Nominal Size		Weight	
			in.	mm	lb.	kg
AH83080	446-S	For Steel Pipe	4-6	100-150	28 1/2	13,0
AH83085	446-HWS	For Heavy-Wall Steel Pipe	4-6	100-150	28 1/2	13,0
AH74685	466-CI	For Cast-Iron Pipe	4-6	100-150	28 1/2	13,0
AH83145	468-S	For Steel Pipe	6-8	150-200	33	15,0
AH83150	468-HWS	For Heavy-Wall Steel Pipe	6-8	150-200	33 1/2	15,2
AH74700	468-CI	For Cast-Iron Pipe	6-8	150-200	33 1/2	15,2
AH83165	472-S	For Steel Pipe	8-12	200-300	41 1/2	19,0
AH83170	472-HWS	For Heavy-Wall Steel Pipe	8-12	200-300	42	19,1
AH74710	472-CI	For Cast-Iron Pipe	8-12	200-300	42	19,1

Rotary™ Cutter (6"-36" or 159-915mm)



AH03309

AH03264

Code No.	Model No.	Pipe Capacity			Weight			
		Steel inch-Nom.	Cast Iron & Ductile inch-Nom.	Actual Omm	in.	mm	lb.	kg
AH03309	LCRC8S	6-8		159-246	58	1473	52	24
AH03308	LCRC8I		6-8	159-246	58	1473	52	24
AH03313	LCRC12S	10-14		266-358	61	1549	30	27
AH03312	LCRC12I		10-12	266-358	61	1549	60	27
AH03317	LCRC16S	16-18		368-462	66	1664	72	33
AH03316	LCRC16I		14-16	368-462	66	1664	72	33
AH03240	RC20S	20-22		476-572	106	2680	98	44
AH03242	RC20I		18-20	476-572	106	2680	98	44
AH03250	RC24S	24-26		584-660	111	2807	115	52
AH03252	RC24I		22-24	584-660	111	2807	115	52
AH03260	RC30S*	28-34		698-864	96	2438	240	109
AH03262	RC30I*		30	698-864	96	2438	240	109
AH03264	RC36S	32-36		813-915	96	2438	247	112

*Conversion Kits Available

Allinton Engineering & Trading Pte Ltd

Head Office: Block 803, King George's Avenue #01-234 Singapore 200803. Tel: 6296 0679 (10 lines) 6292 7728 Fax: 6297 0024

Branch Office: 21 Tuas Basin Link Singapore 638782 Tel: 6265 1888 (10 lines) Fax: 6265 5623

Web-site: <http://www.allinton.com.sg> E-mail: allinton@singnet.com.sg

RIDGID

HAND TOOLS

Midget Tubing Cutter-No. 103

Designed for use in restricted space on small diameter, hard and soft copper, aluminium, brass, and plastic tubing. Strong lightweight slide and when housing, large knurled feed screw knob gives easy control of cutting pressure for clean cuts.

Code No.	Model No.	Description	Std. Wheel	Capacity	
				in.	mm
AH32975	103	Midget Cutter	E-3469	1/8-5/8	3-16

Features an enclosed feed screw to eliminate clogging and jamming, grooved rolls for close-to-flare cuts, and a fold-away reamer. Made from high-strength aluminium alloy with a spare cutter wheel in the handle. Cuts copper, brass, and aluminium tubing, and thin-wall conduit. Model 205 has all the features of the No. 150, plus a quick-acting mechanism.

Code No.	Model No.	Description	Std. Wheel	Capacity	
				in.	mm
AH31622	150	Enclosed Feed Cutter	E-3469	1/8-1 1/8	3-28
AH31627	150	Above w/H-D Wheel(s)	E-4546	1/8-1 1/8	3-28
AH33055	205	Ratcheting Encl. Feed Cutter	E-3469	1/4-2 3/8	6-60
AH33070	205	Above w/H-D Wheel(s)	E-4546	1/4-2 3/8	6-60

Nos. 10, 15, 20 and 30

Clean, square cuts are easily made on copper, brass, aluminium, and thin-wall conduit.

Nos. 10, 15, 20 feature a convenient fold-away reamer. No. 30 is rated for larger diameter steel and stainless steel tubing.

Code No.	Model No.	Description	Std. Wheel	Capacity		Weight	
				in.	mm	lb.	kg
AH32910	10	Screw Feed Cutter	F-158	1/8-1	3-25	7/8	0, 4
AH32915	10	Above w/H-D Wheel	E-1240	1/8-1	3-25	7/8	0, 4
AH32920	15	Screw Feed Cutter	E-158	3/16-1 1/8	5-28	1 1/4	0, 6
AH32925	15	Above w/H-D Wheel	E-1240	3/16-1 1/8	5-28	1 1/4	0, 6
AH32930	20	Screw Feed Cutter	E-158	5/8-2 1/8	16-54	1 3/4	0, 8
AH32935	20	Above w/H-D Wheel	E-1240	5/8-2 1/8	16-54	1 3/4	0, 8
AH32940	30	Screw Feed Cutter	E-2558	1-3 1/8	25-79	3 1/2	1, 6
AH32950	30	Above w/H-D Wheel	E-2191	1-3 1/8	25-79	3 1/2	1, 6



AH32975
103



AH31622
150



AH33070
205



AH32910
10

Heavy-Duty Pipe Cutter

Fast, Clean pipe cutting by hand or power. Extra long shank protects adjustment threads, while an extra-large handle is provided for quick, easy adjustment. Can be converted to 3-wheel cutter by replacing rollers with cutter wheel, or can be ordered as 3-wheel model for use in areas where a complete turn is not possible.



Nos. 1-A & 2-A
AH32810

Nos. 3-S, 4-S & 6-S

AH32835



Code No.	Model No.	Description	Pipe Capacity Nominal Size		Weight	
			in.	mm	lb.	kg
AH32810	1-A"	Heavy-Duty	1/8-1 1/4	3-32	6 1/2	3, 0
AH32815	1-A"	3-Wheel Heavy-Duty	1/8-1 1/4	3-32	6 1/4	3, 0
AH32820	2-A"	Heavy-Duty	1/8-2	3-50	7	3, 2
AH32825	2-A"	3-Wheel Heavy-Duty	1/8-2	3-50	7	3, 2
AH32830	3-S"	Heavy-Duty	1-3	25-75	15	6, 9
AH32835	3-S"	3-Wheel Heavy-Duty	1-3	25-75	15	6, 9
AH32840	4-S"	Heavy-Duty	2-4	50-100	18	8, 2
AH32845	4-S"	3-Wheel Heavy-Duty	2-4	50-100	18	8, 2
AH32850	6-S"	Heavy-Duty	4-6	100-150	22	10, 0
AH32855	6-S"	3-Wheel Heavy-Duty	4-6	100-150	22	10, 0

4-Wheel Pipe Cutter

Designed for work in areas where a complete turn is impossible. No. 42-A has a short handle for use in areas where only a 130° turn can be made. Second handle on No. 44-S makes two-man leverage possible on large pipe sizes. Both equipped with four heavy-duty wheels.



Nos. 44-S
AH32880

Code No.	Model No.	Description	Pipe Capacity Nominal Size		Weight	
			in.	mm	lb.	kg
AH32870	42-A	Heavy-Duty 4-Wheel	3/4-2	20-50	6 3/4	3, 1
AH32880	44-S	Heavy-Duty 4-Wheel	2 1/2-4	60-100	20	9, 1

Quick-Acting Tubing Cutter

Models 151-156 feature a quick-action design, I-beam construction, hardened wear surfaces, and thrust bearing slide assemblies for smooth operation. These cutters are available in models for plastic pipe or metalling tubing. Models 151 and 152 feature fold-away reamers.



AH31632

Code No.	Model No.	Description	Std. Wheel	Capacity		Weight	
				in.	mm	lb.	kg
AH31632	151	Quick-Acting Cutter	E-3469	1/4-1 3/8	6-42	7/8	0, 4
AH31637	151-P	Above w/ Wheel for plastic	E-2155	1/8-1 1/4	10-40	7/8	0, 4
AH31642	152	Quick-Acting Cutter	E-3469	1/4-2 3/8	6-66	1 7/8	0, 9
AH31647	152-P	Above w/ Wheel for plastic	E-2155	1/4-2	10-63	1 7/8	0, 9
AH34572	152-P	Above w/ Wheel for PVC	E-5272	1/4-2	10-63	1 7/8	0, 9
AH36597	153	Quick-Acting Cutter	E-3469	1 1/4-3 1/2	32-90	2	0, 9
AH36592	153-P	Above w/ Wheel for plastic	E-2155	1-3	25-75	2	0, 9
AH31652	154	Quick-Acting Cutter	E-2558	1 7/8-4 1/2	48-116	3	1, 4
AH31657	154-P	Above w/ Wheel for plastic	E-2156	1 1/2-4	50-110	3	1, 4
AH31662	156	Quick-Acting Cutter	E-2558	4-6 5/8	100-170	4 1/8	1, 9
AH31667	156-P	Above w/ Wheel for plastic	E-2157	4-6	110-160	4 1/8	1, 9

Allinton Engineering & Trading Pte Ltd

Head Office: Block 803, King George's Avenue #01-234 Singapore 200803. Tel: 6296 0679 (10 lines) 6292 7728 Fax: 6297 0024

Branch Office: 21 Tuas Basin Link Singapore 638782 Tel: 6265 1888 (10 lines) Fax: 6265 5623

Web-site: <http://www.allinton.com.sg> E-mail: allinton@singnet.com.sg

RIDGID

HAND TOOLS

No. 345 Flaring Tool

AH23332



Code No.	Model No.	Type	Sizes (In.)	Weight		Std. Pack
				lb.	kg	
AH23332	345	45° SAE Flares	3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 5/8	2 3/4	1.6	1
AH23337	345-DL	45° SAE Flares	Above w/ adapters for double lap flares	3	1.3	1
AH24797	345/150	45° SAE Flares	3/16, 1/4, 5/16, 3/8, 1/2. O.D. Tubing No. 345 w/ No. 150 Tubing Cutter and Case Kit	3 1/2	1.6	1
Metric Model			Sizes (In.)			
AH23342	345M	45° SAE Flares	6, 8, 10, 12, 14, 15 and 16	2 3/4	1.2	1
AH24087	345M/150	45° SAE Flares	No. 345M w/ No. 150 Tubing cutter and Case Kit	3 1/2	1.6	1

Hammer-Type Flaring Tool



AH41315

Code No.	Model No.	Water Tube		Weight		Std. Pack
		in.	mm	lb.	kg	
AH41315	E-37	3/8	9	3/16	0.1	1
AH41320	E-45	1/2	12	1/4	0.1	1
AH41325	E-46	5/8	16	3/8	0.2	1
AH41330	E-47	3/4	19	1/2	0.2	1
AH41335	E-52	1	25	3/4	0.3	1
AH41340	E-61	1 1/4	31	1	0.5	1
AH41345	E-63	1 1/2	37	1 1/2	0.7	1
AH41350	E-64	2	50	2 1/2	1.0	1

Ratchet Bender / Spring Bender

Geared Ratchet Lever-Type Tube Benders



AH35170

Code No.	Model No.	Radius to Center of Tube		Tube O.D.		Weight		Std. Pack
		in.	mm	in.	mm	lb.	kg	
AH35170	358	1	76	5/8"	16	7 1/2"	3.4	1
AH35175	368	3 3/4"	95	3/4"	19	13 1/2"	6.1	1
AH35180	378	3 3/4"	95	7/8"	22	13 1/2"	6.1	1

RIDGID 300 Series Lever for Bender Soft Copper Tubing



AH36962

RIDGID 400 Series Lever for Bender Copper & Steel Tubing



AH36117

Code No.	Model No.	Description	Capacity	
			Tube Size (Actual O.D.)	Bend Radius
AH36962	310	Lever Bender	5/8"	2 1/4"
AH36972	312	Lever Bender	3/4"	2 7/8"
AH36942	310M	Lever Bender	10mm	42mm
AH36947	312M	Lever Bender	12mm	42mm
AH36952	314M	Lever Bender	14mm	56mm
AH36957	315M	Lever Bender	15mm	56mm
AH36962	316M	Lever Bender	16mm	56mm
AH36967	318M	Lever Bender	18mm	82mm
AH36117	403	Lever Bender	3/16"	5/8"
AH36122	404	Lever Bender	1/4"	5/8"
AH36092	405	Lever Bender	5/16"	15/16"
AH36097	406	Lever Bender	3/8"	15/16"
AH36132	408	Lever Bender	1/2"	1 1/2"
AH36112	406M	Lever Bender	6mm	16mm
AH36092	408M	Lever Bender	8mm	24mm
AH36102	410M	Lever Bender	10mm	24mm
AH36127	412M	Lever Bender	12mm	38mm

RIDGID 500 Series Stainless Steel Lever Bender

AH51912



Code No.	Model No.	Description	Capacity	Std. Pack		Weight	
				lb.	kg		
AH51912	506	Lever Bender	3/8"	1 1/4"	3.2	1.45	
AH51917	508	Lever Bender	1/2"	1 1/2"	6.5	2.95	

Spring-Type Tube Bender

For fast, free-form bending of soft copper and aluminium tube.



AH35245

Code No.	Model No.	Description	Length		Tube O.D.		Tube O.D.	Std. Pack	
			in.	mm	in.	mm			
AH35245	D-1375	Pack 6 Spring-Type Benders	10	250	1/4"	6	3/8	0.2	1
AH35250	D-1376	Pack 6 Spring-Type Benders	10	250	5/16"	8	1	0.5	1
AH35255	D-1377	Pack 6 Spring-Type Benders	10	250	3/8"	9	1	0.5	1
AH35260	D-1378	Pack 6 Spring-Type Benders	12	300	7/16"	11	1 5/8	0.8	1
AH35265	D-1379	Pack 6 Spring-Type Benders	12	300	1/2"	12	2 5/8	1.2	1
AH35270	D-1380	Pack 6 Spring-Type Benders	12	300	5/8"	16	3 1/4	1.5	1
AH35275	D-1381	Pack 6 Spring-Type Benders	12	300	3/4"	19	3 3/4	1.7	1
AH35280	D-1382	Pack 6 Spring-Type Benders	12	300	7/8"	22	4 1/8	1.9	1
Spring-Type Bender Sets									
AH35285	E-5732	Set of 6, 1/4" - 5/8" (6mm-16mm)					1 3/4	0.8	1
AH35290	E-5734	Set of 8, 1/4" - 7/8" (6mm-22mm)					3	1.4	1

Allinton Engineering & Trading Pte Ltd

Head Office: Block 803, King George's Avenue #01-234 Singapore 200803. Tel: 6296 0679 (10 lines) 6292 7728 Fax: 6297 0024

Branch Office: 21 Tuas Basin Link Singapore 638782 Tel: 6265 1888 (10 lines) Fax: 6265 5623

Web-site: <http://www.allinton.com.sg> E-mail: allinton@singnet.com.sg

RIDGID