


# HAND TOOLS

## Impact Sockets

1" Drive 4 Point Budd Wheel Deep




AH00377

Code No.	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
AH00377	17mm	76	16	40	52	6	500.0
AH00378	19mm	76	16	43	52	6	600.0
AH00379	20mm	76	16	44	52	6	630.0
AH00380	21mm	76	16	44	52	6	650.0

## Impact Sockets


1" Drive 6 Point Budd Wheel Deep  
Deep Double Opening



AH00381

Code No.	Size	S1 (MM)	S2 (MM)	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
AH00381	35 x 17mm	35	17	94	13	54	52	6	1000.0
AH00382	38 x 20mm	38	20	96	14	56	54	6	1525.0
AH00383	41 x 21mm	41	21	100	14	58	54	6	2125.0

## Impact L-Handle




AH00384



Code No.	Size	L (MM)	D (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
AH00384	3/4"	450	16.5	1	2005.0
AH01444	1"	600	25	1	3500.0

## Impact T-Handle



AH00385



Code No.	Size	L (MM)	D (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
AH00385	1/2"	300	27.5	12	585.0
AH00386	3/4"	510	40	1	1500.0
AH00387	1"	760	50	1	4500.0


## Impact Pry Bar / Tyre Levers



AH00446

Code No.	L (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
AH00446	400	1	695.0
AH00447	450	1	1035.0
AH00448	600	1	1700.0

## Impact Extension Bar



AH00388



Code No.	Size	L (MM)	D (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
AH00388	3/8"	125	19	12	170.0
AH00389	3/8"	250	19	12	280.0
AH00390	1/2"	75	25	6	190.0
AH00391	1/2"	100	25	12	225.0
AH00392	1/2"	125	25	12	270.0
AH00393	1/2"	150	25	12	360.0
AH00394	1/2"	200	25	12	450.0
AH00395	1/2"	250	25	12	540.0
AH00396	3/4"	75	44	6	595.0
AH00397	3/4"	100	44	6	635.0

Code No.	Size	L (MM)	D (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
AH00398	3/4"	125	44	6	680.0
AH00399	3/4"	150	44	6	748.0
AH01445	3/4"	175	44	6	810.0
AH00400	3/4"	200	44	6	945.0
AH00401	3/4"	250	44	4	1105.0
AH00402	3/4"	300	44	4	1235.0
AH00403	3/4"	330	44	4	1405.0
AH00404	3/4"	400	44	4	1417.0
AH00405	1"	150	54	5	1422.0
AH00406	1"	175	54	4	1430.0
AH00407	1"	200	54	3	1695.0
AH00408	1"	250	54	3	1835.0
AH00409	1"	300	54	3	2175.0
AH00410	1"	330	54	2	2750.0
AH00411	1"	400	54	1	3325.0
AH01950	1-1/2"	250	86	1	3875.0
AH01951	1-1/2"	500	86	1	4265.0
AH00412	1-1/2"	300	86	1	5215.0
AH01952	2-1/2"	125	127	1	5740.0
AH01953	2-1/2"	250	127	1	6498.0
AH01954	2-1/2"	500	127	1	7595.0

# HAND TOOLS

## Impact Adaptor



AH00413

Code No.	F	M	L (MM)	D (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
AH00413	3/8"	1/2"	36	22	12	75.0
AH00414	1/2"	3/8"	38	25	12	85.0
AH00415	1/2"	3/4"	44	30	6	198.0
AH00416	3/4"	1/2"	60	44	12	270.0
AH00417	3/4"	1"	63	44	12	385.0
AH00418	1"	3/4"	76	54	6	615.0
AH00419	1"	1-1/2"	90	54	6	1050.0
AH00420	1-1/2"	1"	100	86	1	2000.0
AH00422	1-1/2"	2-1/2"	120	86	1	4010.0
AH00421	2-1/2"	1-1/2"	138	127	1	7005.0
AH01955	3-1/2"	2-1/2"	200	175	1	17100.0

## Impact Universal Joint



AH00423

Code No.	Sq. Dr	L (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
AH02162	3/8"	55	6	72.0
AH00423	1/2"	75	3	185.0
AH00424	3/4"	108	6	705.0
AH00425	1"	125	6	1700.0
AH00426	1-1/2"	182	1	2015.0

## Impact Allen Key Socket



AH00427

Code No.	Sq. Dr	Size	L (MM)	T (MM)	D (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
AH01956	1/2"	4mm	76	20	25	12	77.0
AH01957	1/2"	5mm	76	20	25	12	80.0
AH00427	1/2"	6mm	76	20	25	12	85.0
AH00428	1/2"	8mm	76	25	25	12	103.0
AH01958	1/2"	9mm	76	25	25	12	110.0
AH00429	1/2"	10mm	76	25	25	12	115.0
AH01959	1/2"	11mm	76	25	25	12	118.0
AH00430	1/2"	12mm	76	25	25	12	124.0
AH01960	1/2"	13mm	76	25	25	6	138.0
AH00431	1/2"	14mm	76	25	25	6	150.0
AH01961	1/2"	15mm	76	25	25	6	163.0
AH01962	1/2"	16mm	76	25	25	6	178.0
AH00432	1/2"	17mm	76	25	25	6	195.0
AH01963	1/2"	18mm	76	25	25	6	198.0
AH00433	1/2"	19mm	76	25	25	6	205.0
AH01964	1/2"	3/16"	76	20	25	12	78.0
AH01965	1/2"	7/32"	76	20	25	12	82.0
AH00434	1/2"	1/4"	76	20	25	12	87.0
AH01966	1/2"	9/32"	76	20	25	12	72.0
AH00435	1/2"	5/16"	76	25	25	12	82.0
AH00436	1/2"	3/8"	76	25	25	12	105.0
AH01446	1/2"	7/16"	76	25	25	12	113.0
AH00437	1/2"	1/2"	76	25	25	6	132.0
AH00438	1/2"	9/16"	76	25	25	6	150.0
AH00439	1/2"	5/8"	76	25	25	6	165.0
AH01967	1/2"	11/16"	76	25	25	6	198.0
AH01968	1/2"	3/4"	76	25	25	6	212.0
AH01969	3/4"	10mm	100	20	44	6	332.0
AH01970	3/4"	12mm	100	20	44	6	341.0
AH00440	3/4"	14mm	100	20	44	6	355.0
AH00441	3/4"	17mm	100	20	44	6	368.0
AH00442	3/4"	19mm	100	20	44	6	450.0
AH00443	3/4"	22mm	100	20	44	6	495.0
AH00444	3/4"	24mm	100	20	44	6	535.0
AH00445	3/4"	27mm	100	20	44	6	575.0



AH01971

## Allen Key Socket

Code No.	Sq. Dr	Size	L (MM)	T (MM)	D (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
AH01971	3/4"	3/8"	100	20	44	6	331.0
AH01972	3/4"	7/16"	100	20	44	6	340.0
AH01973	3/4"	1/2"	100	20	44	6	343.0
AH01974	3/4"	9/16"	100	20	44	6	357.0
AH01975	3/4"	5/8"	100	20	44	6	362.0
AH01976	3/4"	3/4"	100	20	44	6	453.0
AH01977	3/4"	13/16"	100	20	44	6	471.0
AH01978	3/4"	7/8"	100	20	44	6	497.0
AH01979	3/4"	1"	100	20	44	6	565.0
AH01980	1"	10mm	100	20	54	6	528.0
AH01981	1"	12mm	100	20	54	6	550.0
AH01982	1"	14mm	100	20	54	6	575.0
AH01983	1"	17mm	100	20	54	6	602.0
AH01984	1"	19mm	100	20	54	6	630.0
AH01985	1"	22mm	100	20	54	6	665.0
AH01986	1"	24mm	100	20	54	6	687.0
AH01987	1"	27mm	100	20	54	6	705.0
AH01988	1"	1/2"	100	20	54	6	560.0
AH01989	1"	9/16"	100	20	54	6	580.0
AH01990	1"	5/8"	100	20	54	6	592.0
AH01991	1"	3/4"	100	20	54	6	631.0
AH01992	1"	13/16"	100	20	54	6	645.0
AH01993	1"	7/8"	100	20	54	6	668.0
AH01994	1"	1"	100	20	54	6	692.0

### Allinton Engineering & Trading Pte Ltd

Head Office: Block 803, King George's Avenue #01-234 Singapore 200803. Tel: 6296 0679 (10 lines) 6292 7728 Fax: 6297 0024


Branch Office: 21 Tuas Basin Link Singapore 638782 Tel: 6265 1888 (10 lines) Fax: 6265 5623

Web-site: <http://www.allinton.com.sg> E-mail: [allinton@singnet.com.sg](mailto:allinton@singnet.com.sg)




# HAND TOOLS

## Impact Sockets 3/4" Drive 12 Point Regular




Code No.	Size	L (MM)	T (MM)	D1 (MM)	D2 (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
AH02168	16mm	50	12	27	38	12	356.0
AH02169	17mm	50	12	28	38	12	360.0
AH02170	18mm	50	12	29	38	12	365.0
AH02171	19mm	50	14	30	38	12	370.0
AH02172	20mm	52	16	31	38	12	375.0
AH02173	21mm	52	16	32	38	12	380.0
AH02174	22mm	52	16	34	38	12	395.0
AH02175	23mm	52	16	35	38	12	370.0
AH02176	24mm	52	18	36	38	12	380.0
AH02177	25mm	52	18	38	38	12	380.0
AH02178	26mm	52	23	40	38	12	370.0
AH02179	27mm	53	23	40	38	12	385.0
AH02180	28mm	53	23	42	38	12	390.0
AH02181	29mm	53	23	43	38	12	395.0
AH02182	30mm	53	23	43	38	12	405.0
AH02183	31mm	56	24	44	38	12	425.0
AH02184	32mm	56	24	45	38	12	450.0
AH02185	33mm	56	24	46	38	12	470.0
AH02186	34mm	56	24	48	38	12	480.0
AH02187	35mm	56	24	50	38	12	488.0
AH02188	36mm	56	24	51	38	12	495.0
AH02189	37mm	56	24	52	38	6	505.0
AH02190	38mm	56	24	53	38	6	528.0
AH02191	39mm	62	28	55	38	6	541.0
AH02192	41mm	62	28	58	38	6	560.0
AH02193	42mm	62	28	61	38	6	675.0
AH02194	43mm	62	28	63	38	6	692.0
AH02195	46mm	68	33	67	38	6	850.0
AH02196	50mm	70	34	71	38	1	1028.0
AH02197	55mm	74	35	77	54	1	1200.0
AH02198	56mm	74	35	77	54	1	1268.0
AH02199	60mm	75	35	84	54	1	1345.0
AH02200	63mm	78	37	86	54	1	1427.0
AH02983	65mm	78	38	88	54	1	1517.0
AH02984	67mm	80	40	90	54	1	1600.0

## Impact Open End Slogging Wrench



Code No.	Size	L (MM)	B (MM)	D (MM)	H (MM)	Qty (Per Box) pcs	Weight (Per Pce) g
AH02089	24mm	180	52	52	16	12	300.0
AH02090	27mm	180	56	56	16	12	350.0
AH02091	30mm	190	62	62	17	6	460.0
AH02092	32mm	190	62	62	17	6	520.0
AH02093	36mm	215	76	76	17.5	6	650.0
AH02094	38mm	225	80	80	18	6	825.0
AH02095	41mm	235	86	86	18.5	6	950.0
AH02096	46mm	255	98	98	20	4	1250.0
AH02097	50mm	275	105	105	21	4	1600.0
AH02098	55mm	300	116	116	23	4	2050.0
AH02099	60mm	320	128	128	24.5	2	2450.0
AH02100	65mm	342	138	138	27	2	3250.0
AH02101	70mm	375	154	154	30	2	4250.0
AH02102	75mm	375	154	154	30	1	4150.0
AH02103	80mm	408	174	174	34	1	6100.0
AH02104	85mm	408	174	174	34	1	5900.0
AH02105	90mm	445	194	194	38	1	8350.0
AH02106	95mm	445	215	215	38	1	7600.0
AH02107	100mm	485	215	215	44	1	10000.0
AH02108	105mm	485	215	215	44	1	11200.0
AH02109	110mm	510	235	235	47	1	14000.0
AH02110	115mm	510	235	235	47	1	16200.0
AH02111	120mm	545	255	255	50	1	18000.0
AH02112	125mm	545	255	255	50	1	19500.0
AH02113	130mm	575	275	275	55	1	21000.0
AH02114	135mm	575	275	275	55	1	22400.0
AH02115	1-1/16"	180	56	56	16	12	350.0
AH02116	1-1/8"	180	56	56	16	12	400.0
AH02117	1-3/16"	190	62	62	17	6	460.0
AH02118	1-1/4"	190	62	62	17	6	500.0
AH02119	1-5/16"	190	62	62	17	6	570.0
AH02120	1-3/8"	215	76	76	17.5	6	650.0
AH02121	1-7/16"	215	76	76	17.5	6	710.0
AH02122	1-1/2"	215	76	76	17.5	6	800.0
AH02123	1-5/8"	235	86	86	18.5	6	950.0
AH02124	1-11/16"	235	86	86	18.5	4	1120.0
AH02125	1-3/4"	255	98	98	20	4	1250.0
AH02126	1-13/16"	255	98	98	20	4	1325.0
AH02127	1-7/8"	255	98	98	20	4	1400.0
AH02128	1-15/16"	265	105	105	21	4	1540.0
AH02129	2"	275	105	105	21	4	1600.0
AH02981	2-1/16"	300	116	116	23	4	2050.0
AH02130	2-1/8"	300	116	116	23	4	2110.0
AH02131	2-3/16"	300	116	116	23	1	2200.0
AH02132	2-1/4"	300	116	116	23	1	2200.0
AH02133	2-5/16"	310	122	122	24.5	1	2360.0
AH02134	2-3/8"	320	128	128	24.5	1	2450.0
AH02982	2-7/16"	330	132	132	25	1	2870.0
AH02135	2-1/2"	330	132	132	25	1	2870.0
AH02136	2-9/16"	342	138	138	27	1	3250.0
AH02137	2-5/8"	342	138	138	27	1	3745.0
AH02138	2-3/4"	375	154	154	30	1	4250.0
AH02139	2-7/8"	375	154	154	30	1	4500.0
AH02140	2-15/16"	375	154	154	30	1	4875.0
AH02141	3"	375	154	154	30	1	5150.0
AH02142	3-1/8"	408	174	174	34	1	6100.0



AH02115

### Allinton Engineering & Trading Pte Ltd

Head Office: Block 803, King George's Avenue #01-234 Singapore 200803. Tel: 6296 0679 (10 lines) 6292 7728 Fax: 6297 0024

Branch Office: 21 Tuas Basin Link Singapore 638782 Tel: 6265 1888 (10 lines) Fax: 6265 5623

Web-site: <http://www.allinton.com.sg> E-mail: [allinton@singnet.com.sg](mailto:allinton@singnet.com.sg)

