



BUILDING MATERIAL

Expansion Joint

Model : EJ 10



For Tiled Surfaces - 10mm Height



Sectional Dimensions
Standard Length 3m
Packing Quantity 40 lengths/pack
AI00658

Model : EJJ 10



For Tiled Surfaces with
One Bedding Anchor - 120mm



Sectional Dimensions
Standard Length 3m
Packing Quantity 40 lengths/pack
AI00659

Model : EJ 30



For Screed Surfaces - 30mm Height



Sectional Dimensions
Standard Length 3m
Packing Quantity 30 lengths/pack
AI00660

Model : EJJ 25

For Screed Surfaces with
One Bedding Anchor - 25mm Height




Sectional Dimensions
Standard Length 3m
Packing Quantity 20 lengths/pack
AI00661

Tile Trim

Corner Trim - CT

Models : CT 60B, CT 95B, CT 120B

Corner Trim for Unsymmetrical Corners




AI00662

Corner Trim - CT

Models : CT 60R, CT 95R

Corner Trim with Tile Setting Strip



AI00665


Model	Dimensions		Standard Length (m)	Packing Quantity	Sectional
	A	B			
CT 60B AI00662 For tiles thickness of up to 6mm	25	6	2 and 2.45	50 Lengths	
CT 95B AI00663 For tiles thickness of up to 9.5mm	26	9.5	2 and 2.45	50 Lengths	
CT 120B AI00664 For tiles thickness of up to 12mm	31	12	2 and 2.45	30 Lengths	

Model	Dimensions		Standard Length (m)	Packing Quantity	Sectional
	A	B			
CT 60R AI00665 For tiles thickness of up to 6mm	25	6	2 and 2.45	50 Lengths	
CT 95R AI00666 For tiles thickness of up to 9.5mm	26	9.5	2 and 2.45	50 Lengths	

Corner Trim - CT

Models : CT 60, CT 95

Corner Trim for Symmetrical Corners




AI00667

PVC L-Strip

Models : PVC L-Strip

Edge Trim for Transformation
onto non-tile surfaces



AI00669

Model	Dimensions		Standard Length (m)	Packing Quantity	Sectional
	A	B			
CT 60 AI00667 For tiles thickness of up to 6mm	28	6	2 and 2.45	50 Lengths	
CT 95 AI00668 For tiles thickness of up to 9.5mm	28	9.5	2 and 2.45	50 Lengths	

Model	Dimensions		Standard Length (m)	Packing Quantity	Sectional
	A	B			
PVC L-Strip AI00669 For Contraction Joint	20	25	3	20 Lengths	

Allinton Engineering & Trading Pte Ltd

Head Office: Block 803, King George's Avenue #01-234 Singapore 200803. Tel: 6296 0679 (10 lines) 6292 7728 Fax: 6297 0024

Branch Office: 21 Tuas Basin Link Singapore 638782 Tel: 6265 1888 (10 lines) Fax: 6265 5623

Web-site: <http://www.allinton.com.sg> E-mail: allinton@singnet.com.sg

BUILDING MATERIAL


Groove Joint

Groove Joint - GJ

For the farming of water drip lines or feature groove.

Model : GJ-6


Joint for 6mm Width Groove



Sectional Dimensions

Standard Length 2m


Packing Quantity 200 lengths/pack



AI00647

Model : GJ-20


Joint for 20mm Width Groove



Sectional Dimensions

Standard Length 2m


Packing Quantity 100 lengths/pack



AI00650

Model : GJ-10


Joint for 10mm Width Groove



Sectional Dimensions

Standard Length 2m


Packing Quantity 200 lengths/pack



AI00648

Model : GJ-30


Joint for 30mm Width Groove



Sectional Dimensions

Standard Length 2m


Packing Quantity 50 lengths/pack



AI00651

Model : GJ-15


Joint for 15mm Width Groove



Sectional Dimensions

Standard Length 2m


Packing Quantity 100 lengths/pack



AI00649

Model : GJ-50


Joint for 50mm Width Groove



Sectional Dimensions

Standard Length 2m

Packing Quantity 50 lengths/pack



AI00652

Corner Ruler

Triangular Joint - TJ


For the farming of angled groove lines or chamfered edges.

Corner Joint - CR

Plastering guide and for protection of corners.

Model : TJ-20


Triangle Groove Former -60°



Sectional Dimensions

Standard Length 2m


Packing Quantity 50 lengths/pack



AI00653

Model : CR-10


Corner Ruler - 10mm Plaster Depth with Edge Protector



Sectional Dimensions

Standard Length 2.6m


Packing Quantity 100 lengths/pack



AI00656

Model : CR-5


Corner Ruler - 5mm Plaster Depth



Sectional Dimensions

Standard Length 2.6m


Packing Quantity 100 lengths/pack



AI00654

Model : CRV10


Corner Ruler - 10mm Plaster Depth for Non-Right Angled Corners



Sectional Dimensions

Standard Length 2.6m


Packing Quantity 100 lengths/pack



AI00657

Model : CR-7


Corner Ruler - 7mm Plaster Depth



Sectional Dimensions

Standard Length 2.6m

Packing Quantity 100 lengths/pack



AI00655

Allinton Engineering & Trading Pte Ltd

Head Office: Block 803, King George's Avenue #01-234 Singapore 200803. Tel: 6296 0679 (10 lines) 6292 7728 Fax: 6297 0024

Branch Office: 21 Tuas Basin Link Singapore 638782 Tel: 6265 1888 (10 lines) Fax: 6265 5623

Web-site: <http://www.allinton.com.sg> E-mail: allinton@singnet.com.sg

BUILDING MATERIAL

Centrally Placed Profiles

• Construction Joints

A15 NB 21187	
A19 NB 21188	
A24 NB 21189	
A32 NB 21190	

• Expansion Joints

D15 NB 21191	
D19 NB 21192	
D24 NB 21193	
D32 NB 21194	

Externally Placed Profiles

• Construction Joints

AA 19-4 NB 21195	
AA 24-4 NB 21196	
AA 32-6 NB 21197	


• Expansion Joints

DA 19-4 NB 21198	
DA 24-4 NB 21199	
AA 33-6 NB 21200	

Determination of the width of waterstops

The width of the internal waterstops depend on the thickness of concrete elements. It may be determined according to the following thumb rule:

Inbedding < or = covering



For external waterstops the guide line is similar:
width of waterstop < or = thickness of concrete element

Jointing Equipments



Electric Heater Blade
240 volt, 350 watt
21201



Hot Air Blower
220 volt, 1400 watt
21202



Soldering Iron
220 volt, 80 watt
21203

Allinton Engineering & Trading Pte Ltd

Head Office: Block 803, King George's Avenue #01-234 Singapore 200803. Tel: 6296 0679 (10 lines) 6292 7728 Fax: 6297 0024

Branch Office: 21 Tuas Basin Link Singapore 638782 Tel: 6265 1888 (10 lines) Fax: 6265 5623

Web-site: <http://www.allinton.com.sg> E-mail: allinton@singnet.com.sg